

Schena, Cristeen

From: Kopf, Jeff
Sent: Friday, November 14, 2014 10:26 AM
To: Handler, Neil
Cc: Schena, Cristeen
Subject: FW: Additional NPDES Document Requests

Another FOIA from Kevin Cassidy.
This time 3 facilities.

Jeff Kopf, Senior Enforcement Counsel
US EPA Region 1
5 Post Office Square
Suite 100 (OES04-4)
Boston, MA 02109-3912
Tel: (617) 918-1796
Fax: (617) 918-0796
kopf.jeff@epa.gov

From: Kevin Cassidy [<mailto:cassidy@lclark.edu>]
Sent: Friday, November 14, 2014 9:53 AM
To: Kopf, Jeff
Subject: Additional NPDES Document Requests

Jeff -

Please consider this a request pursuant to FOIA for the following public records:

1. All DMRs from Nov. 1, 2009 to the present for:
 - a. Chang Farms, Inc. at 415 River Road, Deerfield, MA.
 - b. Greenfield Water Pollution Control Facility at 384R Deerfield St., Greenfield, MA
 - c. JPS Elastomerics Corp. at 412 Main St. Route 10, Easthampton, MA

(collectively "the facilities").


2. Any NPDES permit applicable to the facilities from Nov. 1, 2009 to the present, including the facilities' current permits, and any permit applications associated with any responsive permits.
3. Any documents related to Clean Water Act enforcement against the facilities by EPA or the Commonwealth of Massachusetts occurring from Nov. 1, 2009 to the present.

Our preference would be to receive electronic copies of the above reference records if possible. To the extent EPA needs to prioritize responding to these requests, I have put them in the order of priority.


Please feel free to contact me if you have any questions regarding this request, or if you need further information or clarification. Thank you.

Best regards,
Kevin

--



Kevin Cassidy, Staff Attorney / Earthrise Law Center / Lewis & Clark Law School



<http://earthriselaw.org> | cassidy@lclark.edu | Phone: [781-659-1696](tel:781-659-1696)

This communication and any attachments may be attorney-client privileged and confidential and are intended only for the use of the individual or entity named above. If you have received this communication in error, please immediately destroy it and notify the sender.